

NOKIA	CONFIDENTIAL		1(9)
Customer Care Europe, Middle East & Africa	DCT4 Common Baseband	Version 1.0 Approved	
SCCE Training Group	RH-19 (3100)	(PCB) Version MX5_07a	
© 2003 NMP Only for training and service purposes	21.10.2003		


<b>Table of Contents</b>	Page
DCT4 Common Baseband	1
System connector	2
Analog Audio	3
LED/Vibra/Keyboard/Display	4
UEM	5
UPP & Flash	6
RF Schematics	7
Signal overview / Layout	8
Component finder	9




NOKIA	CONFIDENTIAL		2(9)
Customer Care Europe, Middle East & Africa	System connector	Version 1.0 Approved	
SCCE Training Group	RH-19 (3100)	(PCB) Version MX5_07a	
© 2003 NMP Only for training and service purposes	21.10.2003		




NOKIA	CONFIDENTIAL		3(9)
Customer Care Europe, Middle East & Africa	Analog Audio	Version 1.0 Approved	
SCCE Training Group	RH-19 (3100)	(PCB) Version MX5_07a	
© 2003 NMP Only for training and service purposes	21.10.2003		




CONFIDENTIAL		4(9)
LED/Vibra/Keyboard/Display	Version 1.0 Approved	
RH-19 (3100)	(PCB) Version MX5_07a	
21.10.2003		
	LED/Vibra/Keyboard/Display RH-19 (3100)	LED/Vibra/Keyboard/Display Version 1.0 Appro RH-19 (3100) (PCB) Version MX5



NOKIA	CONFIDENTIAL		5(9)
Customer Care Europe, Middle East & Africa	UEM	Version 1.0 Approved	
SCCE Training Group	RH-19 (3100)	(PCB) Version MX5_07a	
© 2003 NMP Only for training and service purposes	21.10.2003		




NOKIA	CONFIDENTIAL		6(9)
Customer Care Europe, Middle East & Africa	UPP & Flash	Version 1.0 Approved	
SCCE Training Group	RH-19 (3100)	(PCB) Version MX5_07a	
© 2003 NMP Only for training and service purposes	21.10.2003		



NOKIA	CONFIDENTIAL		7(9)
Customer Care Europe, Middle East & Africa	RF Schematics	Version 1.0 Appro	ived
SCCE Training Group	RH-19 (3100)	(PCB) Version MX	5_07a
© 2003 NMP Only for training and service nurnoses	21 10 2003		

Band	Channel	RX	VC/RX	VCO/RX	TX	VCO/TX	VC/TX
GSM 900	37	942,4MHz	~2,58V	3769,6MHz	897,4MHz	3589,6MHz	~1,8V
GSM 1800	700	1842,8MHz	~2,2V	3685,6MHz	1747,8MHz	3495,6MHz	~1,4V
GSM 1900	661	1960MHz	~3,2V	3920MHz	1880MHz	3760MHz	~2,54V



NOKIA	CONFIDENTIAL		8(9)
Customer Care Europe, Middle East & Africa	Signal overview / Layout	Version 1.0 Approv	ved
SCCE Training Group	RH-19 (3100)	(PCB) Version MX5	_07a
© 2003 NMP Only for training and service purposes	21.10.2003		

